




RADON INSPECTION REPORT

Document Generated
05 / 09 / 2022

Document Number
RP22110280042_07May22_1045



Test Performed For
Client Name

Device S/N
RP22110280042

Measurement Date
05/07/2022 - 05/09/2022

Inspection Duration
48 Hour (Data No: 48)

Measurement Location
Address

Inspector Nate Dujanovic
Inspector Phone (330) 554-9498
Inspector Address 4627 Muirwood Pl
Stow, Ohio 44224

MEASUREMENT ENVIRONMENTS

The reported results indicate that radon levels in the building tested are below the U.S. EPA action level of 4.0 pCi/L. Your 48 hour overall average results were 3.5 pCi/L. The EPA suggests that you may want to test again in the future to ensure that radon levels remain below the action level. If the building tested uses water from a private well, you may wish to consider testing for radon in water. If you have any questions, please don't hesitate to reach out by emailing us at starboardinspections@gmail.com or calling/texting us at (330) 554-9498.

Test Started

Radon Concentration Max

4.9

Test Ended

Radon Concentration Min

2.4

Inspection Duration

48 Hours

Overall Avg

3.5

Calibrated

10/28/2021 10:29


EPA Protocol Average

3.4

Wait Time

0 Hours

NOTE: The calibrated EPA average excludes the first 4 measures to follow EPA Protocol



COMMENTS

There is an uncertainty with any measurement result due to statistical variations and other factors such as daily and seasonal variations in radon concentrations due to changes in the weather and operation of the dwelling as well as possible interference with the necessary test conditions that may or may not influence the results. The test is for diagnostic purposes only.

We recommend that the dwelling be retested in each of the following cases whether or not the dwelling has been mitigated:

- * Occupancy by a new owner
- * Long term test should be made within two years of the system activation and at five year intervals thereafter
- * A new addition is added
- * An alteration is made that could change the ventilation pattern
- * Significant nearby construction blasting or earthquakes occur
- * Changes are made or happen to an installed mitigation system

Table of Hourly Radon Measurements

Radon Concentration Average: 3.5 pCi/L

Timestamp	Radon Value	Temp(F)	RH(%)	Timestamp	Radon Value	Temp(F)	RH(%)
05/07/22 11:45	4.5	62	50	05/08/22 11:45	3.4	61	48
05/07/22 12:45	4.8	61	50	05/08/22 12:45	3.8	61	48
05/07/22 13:45	4.5	61	50	05/08/22 13:45	3.4	61	48
05/07/22 14:45	4.2	61	49	05/08/22 14:45	3.8	61	48
05/07/22 15:45	3.3	62	49	05/08/22 15:45	4.5	61	48
05/07/22 16:45	2.9	62	49	05/08/22 16:45	3.4	62	48
05/07/22 17:45	3.5	62	49	05/08/22 17:45	2.9	61	49
05/07/22 18:45	3.6	62	49	05/08/22 18:45	2.8	61	49
05/07/22 19:45	3.5	62	49	05/08/22 19:45	2.8	62	48
05/07/22 20:45	2.8	62	49	05/08/22 20:45	3.8	62	48
05/07/22 21:45	2.5	62	49	05/08/22 21:45	2.4	62	48
05/07/22 22:45	3.5	62	49	05/08/22 22:45	3.6	62	48
05/07/22 23:45	3.4	62	49	05/08/22 23:45	3.6	62	49
05/08/22 00:45	2.4	62	49	05/09/22 00:45	3.5	62	49
05/08/22 01:45	3.2	61	49	05/09/22 01:45	3.6	62	49
05/08/22 02:45	2.6	61	49	05/09/22 02:45	2.8	62	49
05/08/22 03:45	3.1	61	49	05/09/22 03:45	3.3	62	49
05/08/22 04:45	3.4	61	49	05/09/22 04:45	3.3	62	49
05/08/22 05:45	3.5	61	49	05/09/22 05:45	2.8	61	49
05/08/22 06:45	3.5	61	49	05/09/22 06:45	3.2	61	48
05/08/22 07:45	3.5	61	48	05/09/22 07:45	3.4	61	48
05/08/22 08:45	3.4	61	48	05/09/22 08:45	4.9	61	48
05/08/22 09:45	4.1	61	48	05/09/22 09:45	4.3	61	48
05/08/22 10:45	3.9	61	48	05/09/22 10:45	4.1	61	48

* Temperature and humidity can vary depending on environmental conditions.